

5/2 wav valve		471-000-0007
ACC-C for A/C units	24V   8   control unit of luxury class	425-000-0009
accumulator	152 mm   with air vent	284-531-0001
accumulator	135 mm	284-531-0002
Aero-louver	Screw version   black   long	334-314-0050
Aero-louver	clipping version   black   short	334-314-0051
Aero-louver	Clipping version   black   long with hose adapter	334-314-0052
Aero-louver	Screw version   black   long with hose adapter and motorized flap 12V	334-314-0053
Aero-louver	Screw version   black   long with hose adapter and motorized flap 24V	334-314-0054
Aero-louver	Clipping version   black   long with hose adapter and two wheels	334-314-0060
air arid   black	120x60   oblong   431-410-0002	431-410-0002
Air arid for Max Vent	D284,5mm   plastic   black	431-410-0048
Air arid round lona	long   Standard   grey	431-410-0030
Air arid round lona Standard	long   Standard   black	431-410-0010
Air arid round lona with filter	long   filter   black	334-130-0001
Air arid round lona with wire arid	long   wire grid   black	334-130-0004
Air arid round lona with wire arid	long   wire grid   grey	334-130-0021
Air arid round medium	medium   Standard   grey	431-410-0031
Air arid round medium Standard	medium   Standard   black	431-410-0011
Air arid round medium with filter	medium   filter   black	334-130-0002
Air arid round medium with filter	medium   filter   air grid round medium with filter	334-130-0025
Air arid round medium with wire arid	medium   wire grid   black	334-130-0005
Air arid round short Standard	short   Standard   black	431-410-0012
Air arid round short Standard	short   Standard   grey	431-410-0032
Air arid round short with filter	short   filter   black	334-130-0003
Air arid round short with wire arid	short   wire grid   black	334-130-0006
Air diffuser panel EOS	grey   with blower speed control	334-511-0001
Air diffuser panel EOS	grey   with blower speed control and AC switch	334-511-0004
Air diffuser panel EOS	grey   without control elements	334-511-0006
Air diffuser panel EOS	grey   with blower speed control and adjustable thermostatic control	334-512-0001
Air diffuser panel EOS 35 CE	special version   white   without control elements	334-510-0001
Air diffuser panel EOS 35 CE	basis version   grey   with 1 poti and A/C-switch	334-511-0010
Air diffuser panel EOS 35 CE	basis version   grey   with 2 poti and A/C-switch	334-511-0011
air filter G4	G4   18x215x390   white	436-440-0058
Air filter G4	G4   15x180x355   blue-white	436-440-0082
Air filter PP115	G1   10x344x570   anthracite	436-440-0068
air filter PPI20	air filter PPI20 40x200x400 anthracite	436-440-0072
Air filter PPI30	Filter PPI 30 12x130x148 R65 antracite	436-440-0024
Air filter PPI30	G2   12x140x480   anthracite	436-440-0033
air filter PVDC	Grit filter PVDC texture 950/300	436-440-0022
Air hose	flexibel   70   16000 mm long	436-800-0001
Air hose	flexible, isolated     75   485-350-0041   4000 mm long	485-350-0041
air hose   1900 lona insulated	dia 70     436-800-0014	436-800-0014
Anleitung Austausch Ovalwiderstand		912-550-0030
Axial blower	12 V   310 mm   blowing	134-801-0004
Axial blower	12 V   284,5 mm   blowing	134-801-0009
Axial blower	12 V   247 mm   suction	134-801-0010
Axial blower	24 V   310 mm   blowing	134-802-0004
Axial blower	24 V   210 mm   suction	134-802-0008
Axial blower	24 V   247 mm   suction	134-802-0011
axial blower	24 V   415 mm   suction	134-802-0012
axial fan EC	24 V   303 mm   brushless motor	134-902-0006
Booster Blower KB 82 24V	24V   without lamp	138-102-0002
Bowden control 120° left with knob	120°   left	335-100-0101

Bowden control 120° left without knob	120°   left	335-100-0017
Bowden control 120° right with knob	120°   right	335-100-0121
Bowden control 120° right without knob	120°   right	335-100-0012
Bowden control 90° left with knob	90°   left	335-100-0100
Bowden control 90° left without knob	90°   left	335-100-0022
bowden control 90° left without knob   with 2 pins drive 35/	90°   left   with 2 pins drive 35/48	335-100-0032
bowden control 90° right without knob	90°   right	335-100-0027
bowden control 90° rightwithout knob   with 2 pins drive 35/	90°   right   with 2 pins drive 35/48	335-100-0033
Bowden control double with knob	double	335-100-0140
Bowden control double without knob	double	335-100-0026
Bowden control double without knob   with 2 pins drive 35/48	double   with 2 pins drive 35/48	335-100-0031
bowden control straight left without knob	straight   left	335-100-0034
Bowden control straight right with knob	straight   right	335-100-0122
Bowden control straight right without knob	straight   right	335-100-0030
Bowden control straightleft with knob	straight   left	335-100-0102
bowden control straightleft with knob	straight   left	335-100-0103
Bowden control straightleft with knob   and switch	straight   left   and switch	335-100-0104
bowden control without knob   plastic	plastic	335-200-0001
Bowden wire cable	straight end   1775 mm long   with loop	433-650-0020
Bowden wire cable	straight end   1500 mm long  with loop	433-650-0041
Bowden wire cable	straight end   180 mm long   with loop	433-650-0054
Bowden wire cable	preformed end   180 mm long   with loop	433-650-0062
Bowden wire cable	preformed end   2290 mm long   with loop	433-650-0109
Cadet H210 12V Standard	12V   4kW   connection 015 mm	151-401-0000
Cadet H210 24V Standard	24V   4kW   connection 015 mm	151-402-0000
clip	for additional mounts	433-910-0001
closure for roof ventilator	Accessoir	431-290-0012
Coanda 12V2-speed	12V   7,9 kW   air outlet right, left and front	151-571-0002
Coanda 12V2-speed	12V   7,9 kW   air outlet right, left and front	151-571-0004
Coanda 12V2-speed	12V   7,9 kW   air outlet right, left and front	151-571-0002
Coanda 12V2-speed	12V   7,9 kW   air outlet right, left and front	151-571-0004
Coanda 12V3-speed	12V   7,9 kW   air outlet right and left	151-571-0003
Coanda 12V3-speed	12V   7,9 kW   air outlet right and left	151-571-0003
Coanda 24V 3-speed	24V   7,9 kW   air outlet right and left	151-572-0005
Compact control unit CBD 24V   with displav	24V   5   with display	335-520-0001
Compact control unit CBD 24V   with displav	24V   5   with display	335-520-0002
Compact control unit CBE 12V   blower, air flap, water valve	12V   5   blower, air flap, water valve, AC, AL/UL	335-510-0219
Compact control unit CBE 24V   2xblower, water valve, air in	24V   4   2xblower, water valve, air intake, AL/UL	335-510-0008
Compact control unit CBE 24V   blower, air flap, water valve	24V   5   blower, air flap, water valve, AC, AL/UL	335-510-0002
compact control unit CBE 24V   blower, air flap, water valve	24V   4   blower, air flap, water valve, AC	335-510-0003
compact control unit CBE 24V   blower, air flap, water valve	24V   4   blower, air flap, water valve, air intake, AL/UL	335-510-0013
compact control unit CBE 24V   blower, air flap, water valve	24V   5   blower, air flap, water valve, AC, air intake, AC AL/UL	335-510-0019
Compact control unit CBE 24V   blower, thermostat, water val	24V   4   blower, thermostat, water valve AC	335-510-0006
Compact control unit CBM 24V	24V   4   blower, air flap, water valve, air intake, AL/UL	335-500-0003
compact control unit CBM 24V	24V   3   blower, air flap, water valve	335-500-0012
Compact control unit CBM 24V   blower, air flap, water valv	24V   5   blower, air flap, water valve, AC, air intake, AC AL/UL	335-500-0002
compressor Bitzer 4NFCY	24V   cooling capacity 28,6 kW   454-500-0205   for R134a	454-500-0205
compressor Bitzer 4PFCY	24V   cooling capacity 24,6 kW   454-500-0204   for R134a	454-500-0204
compressor Bitzer 4TFCY	24V   cooling capacity 20,8 kW   454-500-0203   for R134a	454-500-0203
compressor bracket   for Peugeot Boxer	compressor connection backward   457-100-0008	457-100-0008
compressor bracket   for Renault Master 2.8TD	compressor connection backwards   457-100-0013	457-100-0013
Compressor bracket Fiat Ducato	11/97   compressor connection horizontal   for compressor SD7H15, 12V	457-100-0015
Compressor bracket for Fiat Ducato	01/94 to 10/97   compressor connection horizontal   for Compressor SD7H15, 12 V	457-100-0005
Compressor bracket MB Vario	OM 904 LA   compressor connection horizontal   for compressor SD7H15	457-100-0001

compressor bracket MB Vario	OM 904 LA   compressor connection vertikál   for compressor SD7H15	457-100-0018
compressor f. R134a	24 V   SD5 H14   454-500-0013   with clutch	454-500-0013
compressor R134a	24 V   SD 7 H15   354-500-0002   with clutch	354-500-0002
compressor R134a	12 V   SD 7 H15   454-500-0002   with clutch	454-500-0002
compressor SD7H13   model 7320 for R 134a	12V   119 PV8   454-500-0010	454-500-0010
compressor SD7H15   model 8229 for R134a	12V   119 PV6   454-500-0018	454-500-0018
condenser	10,8 kW   283-OR5-0008   lamella thicknes 0,4 mm	283-OR5-0008
condenser unit	24 V   175-OR2-0008   with receiver drier	175-OR2-0008
connection part	middle, black	431-180-0029
connection part	middle, grey	431-180-0033
Control-Panel double	2-fach   2   blower 3 speed, water valve	335-100-0300
Control-Panel double	2-fach   4   blower, poti thermostat, AC switch, air intake switch AL/UL	335-100-0308
Control-Panel sinale	1-fach   1   blower 3 speed	335-100-0201
Control-Panel sinale	1-fach   1   control 90° left, water valve	335-100-0204
Control-Panel sinale	1-fach   1   control 90° right, water valve	335-100-0207
Control-Panel sinale	1-fach   1   control straight left, water valve	335-100-0210
Control-Panel sinale	1-fach   1   Poti water valve	335-100-0216
Control-Panel triple	3-fach   3   2 x blower, water valve	335-100-0403
Control-Panel triple, illuminated	3-fach   3   blower, air flap, water valve, with integrated control cables	335-100-0407
convector LT3570	LK = 3430   Q80/m = 1100 W/m   connection left	286-532-0002
Convector LT3570	LC = 3430   Q80/m = 1100 W/m   connection right	286-532-0003
Convector LT3590	LC = 3430   Q80/m = 1100 W/m   connection left+right	286-532-0001
copper pipe 022x1	65 mm   with air vent	485-310-0110
Corrugated metal air hose	Semi-flexible   55   436-800-0010   650 mm long	436-800-0010
cover	left, black	431-180-0030
cover	right, black	431-180-0031
cover	left, grey	431-180-0034
cover	right, grey	431-180-0035
Defroster K 16.500 24V 3speed	24V   19kW   connection 022, 8 sockets	151-562-0031
Defroster-Trollv 12V 2 speed	connection 015 both sides 5hoses 055	151-701-0000
Defroster-Trollv 12V 2 speed	connection 015 both sides 2hoses 055	151-701-0003
Defroster-Trollv 24V 2 speed	connection 015 both sides 5hoses 055	151-702-0000
Defroster-Trollv 24V 2 speed	connection 015 both sides 2hoses 055	151-702-0003
Domino nozzle black	clip version   single   with windowoutlet left and right   black	334-170-0001
Domino nozzle black	clip version   single   black	334-170-0002
Domino nozzle black	clip version   single   one side windowoutlet   black	334-170-0003
Domino nozzle black	screw version   single   side windowsoutlet left and right  black	334-170-0005
Domino nozzle black	screw version   single   schwarz	334-170-0006
Domino nozzle black	screw version   single   one side windowoutlet   black	334-170-0007
Domino nozzle blackflexible	screw version   single   side windowsoutlet left and right	334-170-0105
Domino nozzle blackflexible	screw version   single	334-170-0106
Domino nozzle blackflexible	screw version   single   one side windowoutlet	334-170-0107
Domino nozzle end part black	clip version   combined  with feather without side windowoutlet	334-170-0010
Domino nozzle end part black	clip version   combined  with tongue without side windowoutlet	334-170-0012
Domino nozzle end part black	clip version   combined  with groove without side windowoutlet	334-170-0013
Domino nozzle end part riht black	clip version   combined   with tongue and side windowoutle	334-170-0011
Domino nozzle middle part black	clip version   combined   with tongue and groove	334-170-0009
Double roll nozzle S, schwarz	double version	334-341-0008
DRG 1000 12V 1 speed	12V   1000nf7h	131-501-0001
DRG 1000 12V 3 speed	12V   1000nf7h	131-501-0003
DRG 1000 12V basis version	12V   1000nf7h	131-501-0000
DRG 1000 12V2 speed	12V   1000nf7h	131-501-0002
DRG 1000 24V 1 speed	24V   1000m3/h	131-502-0001
DRG 1000 24V 2 speed	24V   1000m3/h	131-502-0002

DRG 1000 24V 3 speed	24V   1000nf7h	131-502-0003
DRG 1000 24V basis version	24V   1000nf7h	131-502-0000
DRG 1150 12V basic version	12 V   1150m3/h	131-571-0400
DRG 1150 12V1-speed	12 V   1150m3/h	131-571-0101
DRG 1150 12V2-speed	12 V   1150m3/h	131-571-0402
DRG 1150 12V3-speed	12 V   1150m3/h	131-571-0403
DRG 1150 12V4-speed	12 V   1150m3/h	131-571-0450
DRG 1150 24V basic version	24 V   1150m3/h	131-572-0400
DRG 1150 24V1 -speed	24 V   1150m3/h	131-572-0101
DRG 1150 24V2-speed	24 V   1150m3/h	131-572-0402
DRG 1150 24V3-speed	24 V   1150m3/h	131-572-0403
DRG 1150 24V4-speed	24 V   1150m3/h	131-572-0450
DRG 1200 12V 1 speed	12V   1200m3/h	131-601-0101
DRG 1200 12V basic version	12V   1200m3/h	131-601-0400
DRG 1200 12V2-speed	12V   1200m3/h	131-601-0402
DRG 1200 12V3-speed	12V   1200m3/h	131-601-0403
DRG 1200 24V 1 speed	24V   1200m3/h	131-602-0101
DRG 1200 24V 2-speed	24V   1200m3/h	131-602-0402
DRG 1200 24V 3-speed	24V   1200m3/h	131-602-0403
DRG 1200 24V 4-speed	24V   1200m3/h	131-602-0450
DRG 1200 24V basic version	24V   1200m3/h	131-602-0400
DRG 1200 24V with EGS	24V   1200m3/h	131-602-0146
DRG 370 12V 1 speed	12V 370m3/h	131-101-0063
DRG 370 12V 3 speed	12V 370m3/h	131-101-0064
DRG 370 12V basis version	12V 370m3/h	131-101-0061
DRG 370 24V 1 speed	24V   370m3/h	131-102-0063
DRG 370 24V 2 speed	24V   370m3/h	131-102-0062
DRG 370 24V 3 speed	24V   370m3/h	131-102-0064
DRG 370 24V basis version	24V   370m3/h	131-102-0061
DRG 600 12 V 3 speed	12V 600m3/h	131-201-0070
DRG 600 12 V1 speed	12V 600m3/h	131-201-0069
DRG 600 12V basis version	12V 600m3/h	131-201-0061
DRG 600 24V 1 speed	24V   600m3/h	131-202-0069
DRG 600 24V 2 speed	24V   600m3/h	131-202-0068
DRG 600 24V 3 speed	24V   600m3/h	131-202-0070
DRG 600 24V basis version	24V   600m3/h	131-202-0061
DRG 730 12V 2 speed	12V 730m3/h	131-301-0002
DRG 730 12V 3 speed	12V 730m3/h	131-301-0003
DRG 730 12V basis version	12V 730m3/h	131-301-0000
DRG 730 24 V 2 speed	24V   730m3/h	131-302-0002
DRG 730 24 V 3 speed	24V   730m3/h	131-302-0003
DRG 730 24 V basis version	24V   730m3/h	131-302-0000
DRG 730 24 V1 speed	24V   730m3/h	131-302-0001
DRG 825 12V 3 speed	12V 825m3/h	131-401-0403
DRG 825 12V basic version	12V 825m3/h	131-401-0400
DRG 825 24V 1 speed	24V   825m3/h	131-402-0001
DRG 825 24V 3 speed	24V   825m3/h	131-402-0403
DRG 825 24V 4 speed	24V   825m3/h	131-402-0450
DRG 825 24V basic version	24V   825m3/h	131-402-0400
DRG 975 12V basic version	12V 975m3/h	131-451-0400
DRG 975 12V3-speed	12V 975m3/h	131-451-0403
DRG 975 12V4-speed	12V 975m3/h	131-451-0450
DRG 975 24V 1 speed	24V   975m3/h	131-452-0101
DRG 975 24V basic version	24V   975m3/h	131-452-0400

DRG 975 24V with EGS	24V   975m3/h	131-452-0115
DRG370 12V 2 speed	12V 370m3/h	131-101-0062
DRG600 12V 2 speed	12V 600m3/h	131-201-0068
DRG730 12V 1 speed	12V 730m3/h	131-301-0001
DRG825 12V 1 speed	12V 825m3/h	131-401-0001
DRG825 12V 2 speed	12V 825m3/h	131-401-0402
DRG825 24V2stufiq	24V   825m3/h	131-402-0402
DRG975 12V 1 speed	12V 975m3/h	131-451-0101
DRG975 12V2-speed	12V 975m3/h	131-451-0402
DRG975 24V2-speed	24V   975m3/h	131-452-0402
DRG975 24V3-speed	24V   975m3/h	131-452-0403
DRG975 24V4-speed	24V   975m3/h	131-452-0450
DRGEC24V	24 V   1100rffVh   brushless motor	131-902-0001
EHU-K 11.500 12V 3 speed	12V   13kW   connection 022	151-561-0000
EHU-K 11.500 24V 3 speed	24V   13kW   connection 022	151-562-0000
EHU-K 16.500 12V2speed	12V   19kW   connection 022	151-561-0030
EHU-K 16.500 24V 3speed	24V   19kW   connection 022	151-562-0030
EHU-K Defroster 11.500 12V 3 speed	12V   13kW   connection 022 6 hoses 070	151-561-0010
EHU-K Defroster 11.500 12V 3 speed	12V   13kW   connection 022 4 hoses 070	151-561-0011
EHU-K Defroster 11.500 24V 3 speed	24V   13kW   connection 022 6 hoses 070	151-562-0010
EHU-K Defroster 11.500 24V 3 speed	24V   13kW   connection 022 4 hoses 070	151-562-0011
Electro-magnetic clutch 2SPB(173	24V  LA16.21 /KK73.1.36N     for compressor Bock or Bitzer	454-900-0017
Electronic blower controller EGS1	24V   with blockage protection	423-300-0014
Electronic Compact Controller ECR-K	12V/24V   3-speed/automatic/complete (fully loaded)  compact Panel for temperature controlled AC units	321-510-0001
Electronic Compact Controller ECR-K	12V/24V   3-speed/automatic/complete (fully loaded)  compact Panel for temperature controlled AC units	321-510-0001
Electronic compact controller ECR-L	12V/24V   4speed (min) + defrost   compact Panel for temperature controlled AC units	321-520-0001
Electronic compact controller ECR-L	12V/24V   4speed (min) + defrost   compact Panel for temperature controlled AC units	321-520-0001
Electronic thermostat HCC	12V/24V   output 2A for solenoid valve or relay	412-310-0500
External air blower	24 V	136-SD2-0001
filter-drier	454-100-0005   o-ring sealing	454-100-0005
Flat belt	RB 6PK   ribbed belt   1397 mm long, 6 grooves profile	454-900-0004
Flat belt	RB 8PK   ribbed belt   1285 mm long, 8 grooves profile	454-900-0005
Front heater Raffaella 2000	24 V   13,1 kW   with automatic ventilation (special version)	151-652-0005
front heater Raffaella 2000	24 V   13,1 kW with external air suction	151-652-0007
Front heater Raffaella 2000	24 V 13,1 kWwith external air suction without control panel	151-652-0008
Guide pullev	Type: R27	454-900-0014
Heater unit	24 V   15 kW   3-speed	151-NE2-0047
Heater unit 3-speed	12 V   14kW 3-stufig connection M22x1,5	151-AT1-0001
Heater unit 3-speed	12 V   14kW 3-stufig connection M22x1,5	151-AT1-0001
Heater unit Kompakt 7	24 V   17 kW 3-speed level	151-292-0007
Heating unit 12 V 2-speed	12 V   3,0 kW   connection M18x1,5	152-HO1-0004
hose bend 022	120 mm   180°	485-360-0008
hose bend 022	100x100 mm   90°	485-360-0009
hose piece 022	100 mm	485-350-0031
Hot water hose	EPDM   22   485-350-0034   50 mm long	485-350-0034
Hot water hose	Silicon   16   873-000-0015   Meterware	873-000-0015
Hot water hose	Silicon   22   873-000-0016	873-000-0016
Insertion frame	Slide-in radio format   for CBE/CBM/CB/ACC	433-290-0187
Junior 12V 2speed with 2hose 050	12 V   3,2 kW  connection 015 both sides Small-Louver	151-811-0008
Junior 12V 2speed with arid	12 V   3,2 kW  connection 015 both sides	151-811-0002
Junior 12V 2speed with round-nozzle	12 V   3,2 kW  connection 015 both sides Small-Louver	151-811-0011
Junior 12V 3speed with 2hose 050	12 V   3,2 kW  connection 015 both sides Small-Louver	151-811-0009
Junior 12V 3speed with arid	12 V   3,2 kW  connection 015 both sides	151-811-0003
Junior 12V 3speed with hose 080	12 V   3,2 kW  connection 015 both sides Small-Louver	151-811-0006

Junior 12V 3speed with round-nozzle	12 V   3,2 kW   connection 015 both sides Small-Louver	151-811-0012
Junior 12V Ispeed with 2hose 050	12 V   3,2 kW   connection 015 both sides Small-Louver	151-811-0007
Junior 12V Ispeed with arid	12 V   3,2 kW   connection 015 both sides	151-811-0001
Junior 12V Ispeed with arid	24 V   3,2 kW   connection 015 both sides	151-812-0001
Junior 12V Ispeed with hose 080	12 V   3,2 kW   connection 015 both sides Small-Louver	151-811-0004
Junior 12V Ispeed with round-nozzle	12 V   3,2 kW   connection 015 both sides Small-Louver	151-811-0010
Junior 24V 1 speed with round-nozzle	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0010
Junior 24V 2speed with 2hose 050	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0008
Junior 24V 2speed with arid	24 V   3,2 kW   connection 015 both sides	151-812-0002
Junior 24V 2speed with hose 080	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0005
Junior 24V 2speed with round-nozzle	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0011
Junior 24V 3speed with 2hose 050	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0009
Junior 24V 3speed with arid	24 V   3,2 kW   connection 015 both sides	151-812-0003
Junior 24V 3speed with hose 080	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0006
Junior 24V 3speed with round-nozzle	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0012
Junior 24V Ispeed with 2hose 050	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0007
Junior 24V Ispeed with hose 080	24V   3,2kW   connection 015 both sides Small-Louver	151-812-0004
KKH 12V 1 speed with arid	12V   3,6kW   connection 015 both sides	151-801-0001
KKH 12V 3speeds with arid	12V   3,6kW   connection 015 both sides	151-801-0003
KKH 12V Ispeed round	12V   3,6kW   connection 015 single hose 040	151-801-0005
KKH 12V Ispeed round+Small Louver	12V   3,6kW   connection 015 both sides	151-801-0004
KKH 12V2speed with arid	12V   3,6kW   connection 015 both sides	151-801-0002
KKH 24V 2speed with arid	24V   3,6kW   connection 015 both sides	151-802-0002
KKH 24V 3speed with arid	24V   3,6kW   connection 015 both sides	151-802-0003
KKH 24V Ispeed with arid	24V   3,6kW   connection 015 both sides	151-802-0001
KKH 24V1speedround	24V   3,6kW   connection 015 single hose 040	151-802-0005
KKH with PTC radiator 80V	12 V (blower)   1100 W   3-speed with air outlet grille	153-801-0001
KKH with PTC-heater radiator 24V	24 V   870 W   3-speed level, with air outlet grid	153-802-0002
KKH with PTC-heater radiator 80V	24 V (blower)   1100 W   3-speed level, with air outlet grid	153-802-0001
Large Twin Set 475	manual   475mm   manual adjustment Large	334-311-0001
Large Twin Set 475	manual   475mm   manual adjustment with lever	334-311-0012
Large Twin Set mot 475 with HCC	motor 24V	334-311-0315
Large Twin Set mot 475 without HCC	motor 12V	334-311-0120
Long nozzle	Screw version   wheat	334-312-0009
Long nozzle	Screw version   black   Konvex	334-312-0010
Louver Super Large Twin Set 680	manual adjustment   super large	334-311-0004
Louver Twin Set 470	manual adjustment   knob white	334-311-0003
Master 12V3speed	12V   8,5kW   connection 015 both sides, 2 sockets 065	151-601-0000
Master 12V3speed	12V   8,5kW   connection 015 both sides, without sockets	151-601-0002
Master 24V 3speed	24V   8,5kW   connection 015 both sides, 2 sockets 065	151-602-0000
Master 24V 3speed	24V   8,5kW   connection 015 both sides, without sockets	151-602-0002
Max Vent 5.286 12V with grille	12V   286mm	134-701-0101
Max Vent 5.286 12V with grille	12V   286mm   without hood, roof ventilator	134-701-0103
Max Vent 5.286 12V without grille	12V   286mm   without hood, roof ventilator	134-701-0104
Max Vent 5.286 24V with grille	24V   286mm	134-702-0101
Max Vent 5.286 24V with grille	24V   286mm   without hood, roof ventilator	134-702-0104
Max Vent 5.286 24V without grille	24V   286mm	134-702-0102
Max Vent 5.286 24V without grille	24V   286mm   roof ventilator	134-702-0113
Max Vent 5.286 24V without grille	24V   286mm   without hood, roof ventilator	134-702-0114
Mini H410 12V Standard	12 V   2,1 kW   connection 012 straight	151-301-0000
Mini H410 24V	24 V   2,1 kW   connection 012 straight	151-302-0000
Mount	L=25 mm   aluminium	433-290-0072
Mount	L=50 mm   aluminium	433-290-0073
Mount	L=100 mm   aluminium	433-290-0074

mounting instruction fan unit	for212-551/552-0005	912-550-0019
Nozzle Set	normal   black	334-312-0001
Nozzle Set grand	large   black	334-312-0003
Nozzle Set small	Small   black	334-312-0004
Oscar 8000 12V 2speed with hood	connection 015 both sides heat exchanger long	151-681-0001
Oscar 8000 24V 2speed with hood	connection 015 both sides heat exchanger long	151-682-0001
oval resistor for 12V	1,5/0,9/0,35 Ohm for 12V-applications	413-300-0028
oval resistor for 12V	1,5/0,9/0,35 Ohm for 12V-applications	413-300-0028
oval resistor for 24V	6,0/3,0/1,5 Ohm for 24V-applications	413-300-0029
oval resistor for 24V	6,0/3,0/1,5 Ohm for 24V-applications	413-300-0029
Oval socket for Small louver	for hose connection diameter 60	431-420-0051
oval socket, 60 mm lona. for hose 0100	plastic   0100   black	431-420-0025
PD nozzle lona black	clip version   long	334-150-0003
PD nozzle short black	clip version   short	334-150-0004
PD/2 nozzle lona black	clip version   long	334-150-0005
Piccolo EC 24V	with brushless motor	151-202-0016
Piccolo KS420 12V	connection 015	151-201-0000
Piccolo KS420 24V	connection 015	151-202-0000
Piccolo KS422 12V2speed	connection 015	151-201-0001
Piccolo KS422 24V 2speed	connection 015	151-202-0001
Pressure switch	accessoires for A/C   2poles   with 2-poles plug housing	319-100-0004
Pressure switch	accessoiresfor A/C   with 4-poles plug housing	319-100-0005
Pressure switch	accessoires for A/C   4-poles   for R134a	412-500-0005
Quartercircle Vent K	clip version   black	334-150-0001
Quartercircle Vent K arev	clip version   quartz grey	334-150-0006
Quartercircle Vent S	screw version   black	334-150-0002
Quartercircle Vent S	flexible version   black	334-150-0008
Quartercircle Vent S arev	screw version   quartz grey	334-150-0007
receiver drier	0,5 l   4-poles   354-100-0013   with pressure switch with plug housing	354-100-0013
Receiver drier	0,5 l   4-poles   354-100-0014   with pressure switch without plug housing	354-100-0014
receiver drier	0,5 l   2-poles   354-100-0015   with pressure switch with plug housing	354-100-0015
receiver drier	0,5 l   2-poles   354-100-0016   with pressure switch without plug housing	354-100-0016
receiver drier	0,54 l   4-poles   354-100-0024   with pressure switch with plug housing	354-100-0024
refrigerant hose DN 10x2550	factory-assembled module, compressor to condenser	285-ED3-0022
refrigerant hose DN12x3100	factory-assembled module, evaporator to compressor DN8   90° both sides, 5/8"-18UNF   285-LR3-0001	285-ED3-0024
refrigerant hose DN8x1300	factory-assembled module, condenser to receiver drier	285-LR3-0001
refrigerant hose DN8x3900	factory-assembled module,receiver drier to evaporator	285-ED3-0023
refrigerantfitting DN10	90°, 3/4"-16UNF	455-100-0045
refrigerantfitting DN10	90°, 3/4"-16UNF with service valve	455-100-0046
refrigerantfitting DN12	straight 3/4"-16UNF	455-100-0032
refrigerantfitting DN12	90°, 3/4M-16UNF	455-100-0033
refrigerantfitting DN16	straight, 7/8"-14UNF	455-100-0034
refrigerantfitting DN16	90°, 7/8"-14UNF	455-100-0035
refrigerantfitting DN16	45°, without cap nut	455-100-0040
refrigerantfitting DN16	45°, 7/8"-14UNF	455-100-0041
refrigerantfitting DN8	90°, without cap nut	455-100-0053
refrigerantfitting DN8	straight, 5/8"-18UNF	455-100-0052
RG 100 counter-clockwise 12V	12V   100m3/h	132-101-0000
RG 100 counter-clockwise 24V	24V   100m3/h	132-102-0000
RG 120 counter-clockwise 12V	12V   120m3/h	132-121-0000
RG 120 counter-clockwise 24V	24V   120m3/h	132-122-0000
RG 300 3-speed	12V   300m3/h   outtake 99x54mm	132-901-0010
RG 300 3-speed	24V   300m3/h   outtake 99x54mm	132-902-0010
RG 540-EF clockwise24V	24V   540m3/h   outtake 97x66mm	132-512-0000

RG 540-EF counter-clockwise 24V	24V   540m3/h   outtake 97x66mm	132-502-0000
RG 575-DF clockwise 24V	24V   575m3/h   outtake 97x66mm	132-562-0000
RG 575-DF counter-clockwise 24V	24V   575m3/h   outtake 97x66mm	132-552-0000
RG600 12V	12V   600m3/h   air outtake 125x62	132-901-0006
RG600 24V	24V   600m3/h   air outtake 125x62	132-902-0006
RG780 24V	24   780m3/h   basic version	132-902-0400
RG780 24V3speed	24V   780m3/h   3speed	132-902-0403
Roll nozzle K, black	clip version	334-341-0001
Roll nozzle K, grey	clip version	334-341-0003
Roll nozzle S, black	screw version	334-341-0002
Roll nozzle S, light-grey	screw version	334-341-0009
Roll nozzle S, grey	screw version	334-341-0005
Roof heater unit	24V   14kW   3-speed	151-VT2-0006
Roof ventilator HV350 12V2-speed levels	12V   plastic hood black   air intake or air extract	134-101-0013
Roof ventilator HV350 24V 2-speed levels	24V   plastic hood black   air intake or air extract	134-102-0013
Roof ventilator HV350-AH 12V	12V   plastic hood, silver   air extract or air intake	134-101-0107
roof ventilator HV350-K 12V	12V   plastic hood, grey   standard version   air intake or air extract with switch	134-101-0000
roof ventilator HV350-K 12V	12V   plastic hood, grey   air intake or air extract	134-101-0001
roof ventilator HV350-K24V	24V   plastic hood, grey   basis version, air intake and air extract, with switch	134-102-0000
roof ventilator HV350-K24V	24V   plastic hood, grey   air intake or air extract	134-102-0001
roof ventilator HV420-KB 12V	12V   plastic hood, grey   air intake	134-151-0000
roof ventilator HV420-KE 12V	12V   plastic hood, grey   air extract	134-151-0002
roof ventilator HV420-KE 24V	24V   plastic hood, grey   air outtake	134-152-0009
roof ventilatorHV420-KB 24V	24V   plastic hood, grey   air intake	134-152-0000
rotary knob	knob for potentiometer   outer diameter 31 mm   for CBE	431-520-0032
Rotary knob cpl. with spring	knob for bowden cable actuation   outer diameter 43 mm   for control panel	339-100-0001
Rotary knob cpl. with spring	knob for electrical switch   outer diameter 43 mm   for control panel	339-100-0005
Rotary knob with white point	Knob for TWIN SET   outer diameter 40 mm   for TWIN SET	431-520-0003
Rotary knob cpl. with spring	knob for electrical switch and bowden cable actuation   outer diameter 31 mm   for CBM and CBE	339-100-0004
Round nozzle RD 100.0	100mm   without hose connection   Konvex	334-220-0016
Round nozzle RD 100.0 for heating unit Junior	100mm   without outer part   convex	334-220-0037
Round nozzle RD 100.0 with air arille	100mm   without hose connection   Konvex clip 3 mm	334-220-0067
Round nozzle RD 100.0 with air grille	100mm   without hose connection   Konvex clip 3 mm	334-220-0067
Round nozzle RD 100.42	100mm   hose 42   Konvex	334-220-0017
Round nozzle RD 100.50	100mm   hose 50   Konvex	334-220-0018
Round nozzle RD 100.55	100mm   hose 55   Konvex	334-220-0019
Round nozzle RD 100.60	100mm   hose 60   convex	334-220-0082
Round nozzle RD 100.60	100 mm   hose 60   with air grille   convex clipping range 3 mm	334-220-0086
Round nozzle RD 100.65	100mm   hose 65   Konvex	334-220-0020
Round nozzle RD 100.70	100mm   hose 70   Konvex	334-220-0021
Round nozzle RD 100.75	100mm   hose 75   Konvex	334-220-0022
Round nozzle RD 120.0	121mm   without hose connection   Konvex	334-220-0030
Round nozzle RD 120.0 NCS S2500-N	121mm   without hose connection! Konvex	334-220-0038
Round nozzle RD 70.0 black	70 mm   without hose connection! convex, clip at 3mm or 5mm wall	334-220-0046
Round nozzle RD 70.50 black	70mm   hose 50mm   convex, clip at 3mm or 5mm wall	334-220-0045
Round nozzle RD 85.0 with silver rina	87mm   without hose connection! with silver ring   Konvex clip 3mm	334-220-0088
Round nozzle RD 85.0 with silver ring	87mm   without hose connection! with silver ring   Konvex clip 3mm	334-220-0088
Round nozzle RD 85.0, D=87 outside with arille	87mm   without hose connection   Konvex clip 3mm	334-220-0059
Round nozzle RD 85.0, D=87 outside with arille	87mm   without hose connection   Konvex clip 5mm	334-220-0075
Round nozzle RD 85.0, D=87 outside with arille	87mm   without hose connection   Konvex clip 5mm	334-220-0075
Round nozzle RD 85.0, D=87 outside with grille	87mm   without hose connection   Konvex clip 3mm	334-220-0059
Round nozzle RD 85.0, D=87 outside with grille	87mm   without hose connection   Konvex clip 3mm	334-220-0059
Round nozzle RD 85.0, D=87 outside with grille	87mm   without hose connection   Konvex clip 5mm	334-220-0075
Round nozzle RD 85.0, D=87 outside	87mm   without hose connection   Konvex clip 5mm	334-220-0013

Round nozzle RD 85.0. D=87 outside	87mm   without hose connection   Konvex clip 3mm	334-220-0052
Round nozzle RD 85.42. D=87 outside	87mm   hose 42   Konvex clip 5mm	334-220-0024
Round nozzle RD 85.42. D=87 outside	87mm   hose 42   Konvex clip 3mm	334-220-0053
Round nozzle RD 85.50. D=87 outside	87mm   hose 50   Konvex clip 5mm	334-220-0025
Round nozzle RD 85.50. D=87 outside	87mm   hose 50   Konvex clip 3mm	334-220-0054
Round nozzle RD 85.55. D=87 outside	87mm   hose 55   Konvex clip 5mm	334-220-0026
Round nozzle RD 85.55. D=87 outside	87mm   hose 55   Konvex clip 3mm	334-220-0055
round nozzle RD 85.60. D=87 outside	87mm   hose 60   round nozzle RD 85.60, D=87 outside	334-220-0084
Round nozzle RD 85.65, D=87 outside	87mm   hose 65   Konvex clip 5mm	334-220-0027
Round nozzle RD 85.65. D=87 outside	87mm   hose 65   Konvex clip 3mm	334-220-0056
Round nozzle RD 85.70. D=87 outside	87mm   hose 70   Konvex clip 5mm	334-220-0028
Round nozzle RD 85.70. D=87 outside	87mm   hose 70   Konvex clip 3mm	334-220-0057
Round nozzle RD 85.75. D=87 outside	87mm   hose 75   Konvex clip 5mm	334-220-0029
Round nozzle RD 85.75. D=87 outside	87mm   hose 75   Konvex clip 3mm	334-220-0058
Round nozzle RD85.0. D=87 outside NCS S2500-N	87mm   without hose connection! Konvex clip 5mm	334-220-0039
Service valve 7/16-20	high pressure   with Schrader valve	451-300-0003
Service valve 7/16-20	low pressure   with Schrader valve	451-300-0004
Servo motor	12 V   2-poles   VMC II with cam (short)	311-511-0010
Servo motor	12 V   2-poles   VMC II with cam (long)	311-511-0012
Servo motor	24 V   2-poles   VMC II with cam (short)	311-512-0010
Servo motor	24 V   2-poels   VMC II with cam (long)	311-512-0012
Servo motor	12V   5-poles   VMCII	411-511-0016
Servo motor	24V   5-poles   VMCII	411-512-0011
Sinale Set 276 (Twin-Set)	manual   276 mm   manual adjustment	334-311-0007
Single Louver 276   mechanical	manual   276mm   334-311-0023	334-311-0023
Single roll nozzle S , black	with special frame	334-311-0007
Small Louver KP black	closed version	334-314-0004
Small Louver KP wheat	closed version	334-314-0016
Small Louver KP, black	convex   59mm bezel	334-314-0024
Small Louver SP	closed version	334-314-0009
Small Louver SP black	closed version	334-314-0003
Small Louver SP grev	closed version	334-314-0017
Small Louver SP, black	convex   59mm bezel	334-314-0023
socket dia. 100x30mm lona	sheet   100   zinc coat	433-420-0014
Socket dia. 160x50mm lona	Sheet   160   zinc coat	433-420-0018
Socket dia. 180x40mm lona	Sheet   180   zinc coat	433-420-0006
socket dia. 42x30mm lona. with catch	plastic   42   black	431-420-0012
Socket dia. 50x30mm lona. with catch	plastic   50   black	431-420-0013
Socket dia. 55x40mm lona. with catch	Plastic   55   black	431-420-0014
socket dia. 60x40mm lona. with catch	plastic   60   black	431-420-0015
Socket dia. 65x40mm lona. with catch	plastic   65   black	431-420-0016
socket dia. 70x40mm lona. with catch	plastic   70   black	431-420-0017
Socket dia. 75x42mm lona	plastic   75   black	431-420-0011
Super Large Twin Set mot 680 with HCC	motor 24V	334-311-0318
Super Large Twin Set mot 680 without HCC	motor 24V	334-311-0019
Super Large Twin Set mot 680 without HCC	motor 24V	334-311-0020
Super Large Twin Set mot 680 without HCC	motor 12V	334-311-0119
Suppressor module EM1	max. 7.5A	418-000-0010
Suppressor module EM2	max. 12-14 A   11	418-000-0004
Suppressor module EM3	max. 25 A   11	418-000-0005
Tangential Blower 24V	24V	138-102-0004
Teddy 12V with PTC radiator 80V	12 V (blower)   2000 W   3-speed	153-551-0003
Teddy 2000 Defrost 12V 2 speed	connection 015	151-551-0022
Teddy 2000 Defrost 24V 2 speed	connection 015	151-552-0022

Teddy 2000 installation heater 12V 2 speed	connection 015	151-551-0021
Teddy 2000 installation heater 24V 2 speed	connection 015	151-552-0021
Teddy 2000 recirculation heater 12V 2 speed	connection 015 Filter PVDC	151-551-0017
Teddy 2000 recirculation heater 24V 2 speed	connection 015 Filter PVDC	151-552-0017
Teddy 24V with PTC radiator 80V	24 V (blower)   2000 W   3-speed	153-552-0003
Teddy with PTC-heater elements 24 V	24V 2280W 3-speedlevel	153-552-0002
Teddy-oil 2000 Defrost 12V 2 speed	connection M22x1,5	152-551-0022
Teddy-oil 2000 Defrost 24V 2 speed	24V   5,4 kW   connection M22x1,5	152-552-0022
Teddy-oil 2000 installation heater 12V 2 speed	connection M22x1,5	152-551-0021
Teddy-oil 2000 installation heater 24V 2 speed	connection M22x1,5	152-552-0021
Teddy-oil 2000 recirculation heater 12V 2 speed	connection M22x1,5	152-551-0017
Teddy-oil 2000 recirculation heater 24V 2 speed	connection M22x1,5	152-552-0017
temperature sensor lona open	10Kohm 25°C sensor open with long fixing unit	319-300-0008
temperature sensor lona sealed	10Kohm 25°C sensor sealed with long fixing unit	319-300-0009
temperature sensor short open	10Kohm 25°C sensor open with short fixing unit	319-300-0006
temperature sensor short sealed	10Kohm 25°C sensor sealed with short fixing unit	319-300-0007
Thin Louver	black	334-315-0002
Thin Louver	black	334-315-0002
Tightener		454-900-0006
Water drain 90°	Diameter 10	431-900-0040
Water drain, straight	Diameter 10	431-900-0041
Water hose bend	S-EPDM   16   485-360-0014   165x55 mm	485-360-0014
watervalue 016/16 servomotor 12V	016/16   motor	381-000-0350
watervalue 016/16 servomotor 12V	016/16   motor   with HCC	381-000-0551
watervalue 016/16 servomotor 24V	016/16   motor	381-000-0300
watervalue 016/16 servomotor 24V	016/16   motor   with HCC	381-000-0501
watervalue 016/16 with plastic lever	016/16   mechanic   bowden control position A, bowden cable-04,5/6,9	381-000-0141
watervalue 016/16 with rotation knob	016/16   mechanic   for direct control at valve	381-000-0101
watervalue 022/22 servomotor 12V	022/22   motor   with HCC	381-000-0553
watervalue 022/22 servomotor 12V	022/22   motor	381-000-0352
watervalue 022/22 servomotor 24V	022/22   motor   with HCC	381-000-0503
watervalue 022/22 with plastic lever	022/22   mechanic   bowden control position A, bowden cable- 04,5/6,9	381-000-0145
watervalue 028/22 with plastic lever	028/22   mechanic   bowden control position A, bowden cable-04,5/6,9	381-000-0153
watervalue 028/28 servomotor 12V	028/28   motor   with HCC	381-000-0555
watervalue 028/28 servomotor 12V	028/28   motor	381-000-0354
watervalue 028/28 servomotor 24V	028/28   motor   with HCC	381-000-0505
watervalue 028/28 with plastic lever	028/28   mechanic   bowden control position A, bowden cable-04,5/6,9	381-000-0149
Y socket 75 mm lona	plastic   2x55   black	433-420-0012